



Trans D2

Automatic Transmission Fluid

TECHNICAL DATA SHEET

Product Description:

Veedol Trans D2 is a superior quality automatic transmission fluid formulated from high quality base oils and specially selected additive system to meet the stringent performance requirements of Dexron II fluid.

Veedol Trans D2 provides excellent frictional durability, compatibility with seal material generally used in transmission system.

Performance Specifications:

Meets & exceeds the performance requirements of

- 6137-M (Dexron II) of General Motors
- Allison C-4
- CAT TO-2
- MB 236.1/ 236.5/ 236.6/ 236.7
- Ford
- TASA
- ZF-9/ 02F/ 04D/ 11A/ 11B/ 14A/ 17C
- MAN 339 Z1 & V1

Features/Benefits:

- Excellent oxidation stability and friction durability
- Improved low temperature performance for more efficient cold – starting.
- Minimizes sludge & varnish formation and keeps system clean.
- Protects parts against rusting even during idle conditions.

Application:

Recommended for Automatic transmission and power steering units of automobiles and light trucks requiring Dexron II fluid.

Typical Properties:

Test Parameter	ASTM Test Method	Typical Values
Kinematic Viscosity, @ 100°C, cSt	ASTM D 445	7.4
Viscosity Index	ASTM D 2270	175
Flash Point (COC), °C	ASTM D 92	196
Pour Point, °C	ASTM D 97	-45

Properties mentioned above are typical only and minor variations which do not affect the product performances, are to be expected in normal manufacturing.